




SPIRAL

VOXFLO^R



"We are not going in circles, we are going upwards. The path is a spiral; we have already climbed many steps."
- Hermann Hesse





EARTH

“When you’re stuck in a spiral, to change all aspects of the spin you need only to change one thing.”

-Christina Baldwin







SPACE

“A circle is the reflection of eternity. It has no beginning and it has no end - and if you put several circles over each other, then you get a spiral.”

- Maynard James Keenan



Spiral 75001
Spiral Plus 75001





ANDROMEDA

“Growth is a spiral process, doubling back on itself, reassessing and regrouping.”

- Julia Margaret Cameron



Spiral Plus 75006
Spiral 75004 75005 75006






AFTERGLOW

“The growth of understanding follows an ascending spiral rather than a straight line.”

- Marion Milner



Spiral Plus 75005
Spiral 75004
75005 75006






CONNECTION

“life begins where fear ends.”



Spiral Plus 75004
Spiral 75004
75005 75006





WAVE


"Energy moves in cycles, circles, spirals, vortexes, whirls, pulsations, waves, and rhythms—rarely if ever in simple straight lines."

- Starhawk







DISPLACEMENT METHOD




Page 3
 spiral 75004
 spiral 75005
 spiral 75006



Page 13
 spiral 75004
 spiral 75006
 spiral plus 75006



Page 19
 spiral 75005
 spiral 75006
 spiral plus 75005



Page 23
 spiral 75004
 spiral 75006
 spiral plus 75004



Page 27
 spiral 75001
 spiral 75002
 spiral 75003
 spiral plus 75003

COLORS



SPIRAL 75001



SPIRAL 75002



SPIRAL 75003



SPIRAL 75004



SPIRAL 75005



SPIRAL 75006



SPIRAL PLUS 75001



SPIRAL PLUS 75002



SPIRAL PLUS 75003



SPIRAL PLUS 75004



SPIRAL PLUS 75005



SPIRAL PLUS 75006

SPECIFICATION

Style Name:	Spiral Spiral Plus
Construction:	Multi-level Loop
Fiber:	Voxflor Certified Nylon
Gauge:	1/12"
Stitches:	12 per inch
Average Pile Height:	4.0m ± 0.5mm
Backing:	EcoAir-Bac™
Tile size:	25cm*100cm
Area of Use:	Commercial - Heavy Duty
Antimicrobial:	Ultra-Fresh Treatment (Available)
Flammability:	ASTM E 648 Class I, GB8624-2012 B1(C)
Smoke Density:	ASTM E 662 Less than 450, GB/T 8627-1999
Static Propensity:	AATCC-134 ≤3.5kV, GB/T 18044-2008



Ultra-Fresh is a registered trademark of Thomson Research Associates, Inc.





Your color story

VOXFLO^R
www.voxflor.com

Shanghai Headquarter
T +86 021 62989325

Milano Creative Studio
T +39 3885863150

China Branch Office
Beijing/ Guangzhou/ Shenzhen/ Xiamen
T 400 021 0790

